

SCHOOL OF PLANNING AND ARCHITECTURE: NEW DELHI

4, Block B, I.P. Estate, New Delhi 110 002

Date:- 28/04/26

NOTICE INVITING QUOTATION

Percentage rate of **quotations** are invited for the work: **Rain water drain related works including supplying fixing manhole cover with frame at Maharani bagh residential complex SPA-D**

Therefore, you are hereby requested to quote your rate for the above cited work in the attached schedule of work & in Annexure format.

The rates quoted by you shall inclusive all transportation of material, labour charges, material cost, all other taxes & duties etc. Nothing will be pay extra beyond the said work. Additional/Extra work beyond the permissible limit will be pay after the approval of competent authority of the School. The work will be executed as per CPWD specification and norms.

The contractor shall inspect the site before quoting the rates and it will be sole responsibility of the contractor to making all safety arrangement of the incumbent of the school, students, and the labour.

The School reserves the rights to reject / accept any or all the quotations without assigning any reasons thereof, Participate agency must have valid license of C.P.W.D.

The quotations should be submitted in a sealed cover subscribing name of the work and agency address. All quotations must reach the undersigned on 04/05/26 before 1:00 P.M. The quotations may be opened on the same day.

The School reserves the right to assign the work to one or more agencies at any stage at the agency's risk and cost in case the agency does not complete the work on the prescribed date and time. Incomplete and conditional quotations/tenders will be rejected.

Thanking you,

Yours faithfully



Consultant engineer

on leave

Signature
29/04/26

Kindly publish on SPA website
Signature
29/04/26

Encl.. Schedule of work

Recd CAS

SCHOOL OF PLANNING AND ARCHITECTURE: NEW DELHI

4, Block – B, I.P. Estate, New Delhi – 110 002

Annexure – I

DETAILS OF AGENCY

1. Name of the Agency/Applicant:-
..... 2. Address
(Head Office/Registered Office)
3. Telephone/Mob. No:-
.....
4. Status of the Firm (Whether company/
Partnership/Proprietary)
5. Name of the Proprietor/Partners/Directors (With professional qualifications, if any)
..... I.
.....
II.
III.
6. Whether registered with Registrar of Companies/Firm. If So, No.
& Date :-
.....
7. Registration with Tax Authorities
I. Income-Tax No./Pan Card No.
II. GST No.
III. Service Tax No.
8. (Furnish copies of Income-tax returns, registration)

Prasanna

SCHOOL OF PLANNING AND ARCHITECTURE: NEW DELHI

4, Block – B, I.P. Estate, New Delhi – 110 002

Annexure –II

UNDERTAKING BY AGENCY

- (i) We are not involved in any litigation that may have an impact of affecting or compromising the delivery of the services as required under this tender.
- (ii) We are not black-listed by any Central/Sate Government/Public Sector/Educational Institute Undertaking in India.
- (iii) I/We the undersigned certify that I/We have gone through the terms and conditions mentioned in the Quotation/Tender documents and hereby undertake to agree and comply with them in entirety.
- (iv) I/We undertake that the documents submitted are genuine/authentic and nothing material has been concealed there from and that I/we are not debarred by any Government organization and are competent to contract. I/we understand that the contract is liable to be cancelled, if found to be having obtained, through fraudulent means/concealment of information.

(Signature of Authorized Signatory with stamp)Date:-

Name of the Bidder:-

Complete Address:-

.....

.....

Contact No-

Detail

Name Of work :- Rain water drain related works including supplying fixing manhole cover with frame at Maharani bagh residential complex SPA-D.

			UNIT	QUANTI.	RATE	AMOUNT
2.10.1.2	1	Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m, including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m : Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia	meter	20	352.15	7043
2.8.1	2	2.8 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil.	cum	15	260.3	3904.5
2.25	3	2.25 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	cum	15	196	2940
19.6.4	4	19.6 Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete : 300 mm dia. R.C.C. pipe	meter	20	994.3	19886
19.7.2.1	5	Constructing brick masonry manhole in cement mortar 1:4 (1 cement : 4 coarse sand) with R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design : Inside size 120x90 cm and 90 cm deep including C.I. cover with frame (medium duty) 500 mm internal diameter, total weight of cover and frame to be not less than 116 kg (weight of cover 58 kg and weight of frame 58 kg) : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	each	6	26405.5	158433
19.8.2.1	6	Extra for depth for manholes :Size 120x90 cm With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	meter	3	10585.5	31756.5
19.21.2	7	19.21 Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete :For pipes 250 to 300 mm diameter	each	2	922.4	1844.8

Pany

3.6	8	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	cum	15	263.95	3959.25
16.13.1	9	Cutting road and making good the same including supply of extra quantities of materials i.e. aggregate, moorum screening, red bajri and labour required. bituminous portion cum	cum	3	5032.25	15096.75
4.1.3	10	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	3	7878.5	23635.5
19.26.2	11	19.26 Raising manhole cover and frame slab to required level including dismantling existing slab and making good the damage as required (Raising depth of manhole to be paid separately) :Rectangular manhole 120x90 cm with circular cover 500 mm dia of grade MD - 10	each	20	2625.3	52506
M/R	12	Providing and fixing precast SFRC K.K Company make manhole covers required size with frames on sewerline drain (including dismtanaling old cover & frame) as per the direction of Engineer-in-Charge.500X650 Square shap	each	35	1850	64750
M/R	13	Providing and fixing precast SFRC K.K Company make manhole covers required size with frames on storm water drain (including dismtanaling old cover & frame) as per the direction of Engineer-in-Charge.600X600 Square shap	each	35	1920	67200
19.2	14	Supplying and fixing C.I. cover 300x300 mm without frame for gully trap (standard pattern) the weight of cover to be not less than 4.5 kg each	each	40	787	31480
		TOTAL AMOUNT				484435.30
		Terms& Conditions				
	1	The work shall be completed with in 30 Days from the date of issue of work order otherwise 1% penalty per day up to a maximum of 10% shall be imposed on gross amount of bill.				
	2	2 %income tax will be deducted from the bill.				
	3	The work shall be carried out as per C.P.W.D. specification and entire satisfaction of engineer in-charge.				

